





We are slowing down so that you can really take off.
Slow down belts for the printing industry.




Exciting belts.

Slow down
belts



Description	Slow down belt white	Slow down belt light grey	Slow down belt white	Slow down belt white	Slow down belt white	Slow down belt white	Slow down belt grey
Dimensions	254/247 x 10 x 3,0 mm	254/247 x 10 x 2,2 mm	254/247 x 10 x 3,5 mm	254/247 x 20 x 2,5 mm	254/247 x 10 x 2,2 mm	250/215 x 20 x 3,5 mm	250/230 x 20 x 2,5 mm
Drawing number	SLB.0.02	SLB.0.08	SLB.0.05	SLB.0.06	SLB.0.07	SLB.0.04	SLB.0.01
Esband item number	01072048	01072149	01072578	01072580	01072581	01072582	01072047
Outside > Material	NK white	NBR light grey	SI white	SI white	SI white	SI white	PU grey
Outside > Surface	ground	ground	ground	ground	ground	ground	ground
Running side > Material	HT 63 white	HT 63 white	HT 63 white	HT 63 white	HT 63 white	Elastic textile	Elastic textile
Running side > Surface	smooth	smooth	smooth	smooth	smooth		
possible colours	white, blue	leight grey	white, blue	white, blue	white, blue	white, blue	grey, blue, red



**Slow down belt
black**

239/233 x 16 x 2,0 mm

01031251


Neoprene black

ground

HT 63 white

smooth

black



**Slow down belt
blue**

210 x 14 x 4,0 mm

01011814

NBR blue

ground

CR black

profiled

blue



**Slow down belt
black**

242/239 x 20 x 1,45 mm

01066039

Neoprene black

ground

HT 63 white

smooth

black

There are belts – and there are Esband belts. Discover the difference.

By using Esband slow down belts you can be assured that your print sheets will be slowed down safely and precisely.

What makes them even more special is the endlessly manufactured base material without any junction and the fact that they are proven to be durable and reliable in every situation.

Advantages

- high-quality materials
- smooth running performance
- long service life
- high tear resistance
- longitudinal stability
- high-end and precise special processing
- excellent running characteristics on curves

Excellent quality – right from the beginning

All products of the Max Schlatterer GmbH & Co. KG are without exception „made in Germany“.

We focus on quality! There is a variety of individual tests starting from the raw material up to the final control before shipping an Esband belt.



Further paper transport and machine belts

For paper processing and paper handling Esband offers belts with various degrees of elasticity, high ozone resistance, high breaking strength or low elongation, based on your requirements.

Find out more at

<https://esband.de/en/industry-specific-solutions/paper>





Max Schlatterer
GmbH & Co. KG
Robert-Bosch-Str. 9
89542 Herbrechtingen
Germany
Phone +49 (0) 73 24 / 15-0
Fax +49 (0) 73 24 / 15-280
info@esband.de
www.esband.de

